

L Number	Hits	Search Text	DB	Time stamp
1	465	((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) with (continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5))) with (discriminat\$5 or judge\$5 or determin\$5 or detect\$5 or discern\$5 or asses\$6 or evaluat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 16:28
10	166	((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) with (continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5))) with (discriminat\$5 or judge\$5 or determin\$5 or detect\$5 or discern\$5 or asses\$6 or evaluat\$5)) and (input\$5 near5 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 16:29
11	100	((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) with (continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5))) with (discriminat\$5 or judge\$5 or determin\$5 or detect\$5 or discern\$5 or asses\$6 or evaluat\$5)) and (input\$5 near5 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)))) and (input near5 (gray-scale or grayscale or (gray near4 scale) or continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 16:29
12	66	((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) with (continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5))) with (discriminat\$5 or judge\$5 or determin\$5 or detect\$5 or discern\$5 or asses\$6 or evaluat\$5)) and (input\$5 near5 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)))) and (input near5 (gray-scale or grayscale or (gray near4 scale) or continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5)))) and (output\$5 near5 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 16:29

13	50	((((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) with (continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5))) with (discriminat\$5 or judge\$5 or determin\$5 or detect\$5 or discern\$5 or asses\$6 or evaluat\$5)) and (input\$5 near5 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)))) and (input near5 (gray-scale or grayscale or (gray near4 scale) or continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5)))) and (output\$5 near5 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)))) and ((conver\$5 or transform\$5) near6 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 16:30
14	44	((((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) with (continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5))) with (discriminat\$5 or judge\$5 or determin\$5 or detect\$5 or discern\$5 or asses\$6 or evaluat\$5)) and (input\$5 near5 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)))) and (input near5 (gray-scale or grayscale or (gray near4 scale) or continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5)))) and (output\$5 near5 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)))) and ((conver\$5 or transform\$5) near6 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)))) and @ad<20001211	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 16:30
15	94	(half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) with (continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5))) with (discriminat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 16:33
16	43	((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) with (continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5))) with (discriminat\$5)) and (input\$5 near5 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 16:29
17	19	((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) with (continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5))) with (discriminat\$5)) and (input\$5 near5 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)))) and (input near5 (gray-scale or grayscale or (gray near4 scale) or continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 16:29

18	13	(((half-ton\$5 or half-ton\$5 or (half near4 ton\$5))) with (continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5))) with (discriminat\$5)) and (input\$5 near5 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)))) and (input near5 (gray-scale or grayscale or (gray near4 scale) or continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5)))) and (output\$5 near5 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 16:29
19	11	(((half-ton\$5 or half-ton\$5 or (half near4 ton\$5))) with (continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5))) with (discriminat\$5)) and (input\$5 near5 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)))) and (input near5 (gray-scale or grayscale or (gray near4 scale) or continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5)))) and (output\$5 near5 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)))) and ((conver\$5 or transform\$5) near6 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 16:30
20	11	(((half-ton\$5 or half-ton\$5 or (half near4 ton\$5))) with (continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5))) with (discriminat\$5)) and (input\$5 near5 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)))) and (input near5 (gray-scale or grayscale or (gray near4 scale) or continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5)))) and (output\$5 near5 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)))) and ((conver\$5 or transform\$5) near6 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)))) and @ad<20001211	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 16:30

21	0	(((((((half-ton\$5 or half-ton\$5 or (half near4 ton\$5))) with (continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5))) with (discriminat\$5)) and (input\$5 near5 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)))) and (input near5 (gray-scale or grayscale or (gray near4 scale) or continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5)))) and (output\$5 near5 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)))) and ((conver\$5 or transform\$5) near6 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)))) and @ad<20001211) not (character or text or line)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 16:31
22	0	(((((((half-ton\$5 or half-ton\$5 or (half near4 ton\$5))) with (continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5))) with (discriminat\$5)) and (input\$5 near5 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)))) and (input near5 (gray-scale or grayscale or (gray near4 scale) or continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5)))) and (output\$5 near5 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)))) and ((conver\$5 or transform\$5) near6 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)))) and @ad<20001211) not (character or text)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 16:31
23	0	(((((((half-ton\$5 or half-ton\$5 or (half near4 ton\$5))) with (continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5))) with (discriminat\$5)) and (input\$5 near5 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)))) and (input near5 (gray-scale or grayscale or (gray near4 scale) or continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5)))) and (output\$5 near5 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)))) and ((conver\$5 or transform\$5) near6 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)))) and @ad<20001211) not (character)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 16:31
24	23	input\$5 with imag\$5 with (half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) with (continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5))) with (discriminat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 16:33

L Number	Hits	Search Text	DB	Time stamp
1	465	((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) with (continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5))) with (discriminat\$5 or judge\$5 or determin\$5 or detect\$5 or discern\$5 or asses\$6 or evaluat\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 16:28
10	166	((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) with (continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5))) with (discriminat\$5 or judge\$5 or determin\$5 or detect\$5 or discern\$5 or asses\$6 or evaluat\$5) and (input\$5 near5 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 15:38
11	100	((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) with (continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5))) with (discriminat\$5 or judge\$5 or determin\$5 or detect\$5 or discern\$5 or asses\$6 or evaluat\$5) and (input\$5 near5 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)))) and (input near5 (gray-scale or grayscale or (gray near4 scale) or continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 15:41
12	66	((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) with (continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5))) with (discriminat\$5 or judge\$5 or determin\$5 or detect\$5 or discern\$5 or asses\$6 or evaluat\$5) and (input\$5 near5 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)))) and (input near5 (gray-scale or grayscale or (gray near4 scale) or continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5)))) and (output\$5 near5 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 15:42

13	50	((((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) with (continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5))) with (discriminat\$5 or judge\$5 or determin\$5 or detect\$5 or discern\$5 or asses\$6 or evaluat\$5)) and (input\$5 near5 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)))) and (input near5 (gray-scale or grayscale or (gray near4 scale) or continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5)))) and (output\$5 near5 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)))) and ((conver\$5 or transform\$5) near6 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5))))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 15:42
14	44	((((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)) with (continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5))) with (discriminat\$5 or judge\$5 or determin\$5 or detect\$5 or discern\$5 or asses\$6 or evaluat\$5)) and (input\$5 near5 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)))) and (input near5 (gray-scale or grayscale or (gray near4 scale) or continuous-level or continuous-ton\$5 or continuous-gradat\$5 or conton\$5 or multilevel or multi-level or multiple-level or multiple-ton\$5 or multiton\$5 or multi-ton\$5 or multigradat\$5 or multi-gradat\$5 or multiple-gradat\$5 or ((multi\$6 or continu\$6) near5 (gradat\$5 or level\$5 or ton\$5)))) and (output\$5 near5 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)))) and ((conver\$5 or transform\$5) near6 ((half-ton\$5 or half-ton\$5 or (half near4 ton\$5)))) and @ad<20001211	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 16:08

L Number	Hits	Search Text	DB	Time stamp
1	42	5838333.pn. 5844532.pn. 6724498.pn. 6449060.pn. 6204933.pn. 6185006.pn. 6169608.pn. 5949966.pn. 5872896.pn. 5982508.pn. 5956156.pn. 6608701.pn. 5920646.pn. 6539114.pn. 5862257.pn. 5764811.pn. 6674546.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/02 13:06

↑
talks about
program storage
medium"